TOSHIBA

Satellite M50[1]

Model Name	Description	Part Number	UPC Code
Satellite M50-S418TD	Microsoft® Windows® XP Home Edition, Intel® Celeron® M Processor 360, 14.0" WXGA TFT, 256MB, 40GB(5400rpm), CD-RW/DVD-ROM, Intel Graphics Media Accelerator 900	PSM50U-03H01N	032017385061
Satellite M50-S4182TD	Microsoft® Windows® XP Professional, Intel® Celeron® M Processor 360, 14.0" WXGA TFT, 256MB, 40GB(5400rpm), CD-RW/DVD-ROM, Intel Graphics Media Accelerator 900	PSM50U-03H01Y	032017385085

System Characteristics[2]

Custom Configuration options and optional items listed below are highlighted in yellow.

Operating System[3]

- Microsoft® Windows® XP Home Edition with SP2 (S418TD)
- Microsoft® Windows® XP Professional with SP2 (S4182TD)

Choice of Processors

- Intel Celeron® M Processor 360 [1.4GHz, 1MB L2 Cache, 400MHz FSB]
- Intel Pentium® M Processor 740 [1.73GHz, 2MB L2 Cache, 533MHz FSB]
- Intel Pentium® M Processor 760 [2.0GHz, 2MB L2 Cache, 533MHz FSB]
- Intel Pentium® M Processor 770 [2.13GHz, 2MB L2 Cache, 533MHz FSB]

Chipset

- Mobile Intel® 915GM or 915PM Express Chipset depending on configuration

Memory[4]

- Configured with a minimum of 256MB DDR SDRAM
- 256MB (Min)/2048MB (Max), 1st memory module is installed in one slot under keyboard, service removable. 2nd memory module can be end user accessed via removable door on bottom of system chassis. Supports 256MB, 512MB, or 1024MB PC2700 DDR 333MHz SDRAM 2.5V SODIMM memory modules (both memory slots may be occupied).

Mass Storage

Choice of Hard Drives [5]

- 40GB (5400 RPM) Enhanced IDE (ATA-6) hard disk drive; 9.5mm height
- 60GB (5400 RPM) Enhanced IDE (ATA-6) hard disk drive; 9.5mm height
- 80GB (5400 RPM) Enhanced IDE (ATA-6) hard disk drive; 9.5mm height
- 100GB (5400 RPM) Enhanced IDE (ATA-6) hard disk drive; 9.5mm height

Choice of Optical Disk Drives

- Fixed Bay CD-RW/DVD-ROM drive:
  Maximum Speed:
  CD-ROM (24x:read), CD-R (24x:write), CD-RW (24x:write), DVD-ROM (8x:read)
- Fixed Bay DVD SuperMulti drive (double layer):
  Maximum Speed:
  CD-ROM (24x:read), CD-R (24x:write), CD-RW (10x:write), DVD-ROM (8x:read), DVD-R (8x:write), DVD-RW (4x:write), DVD+R (8x:write), DVD+R (Double Layer) (2.4x:write), DVD+RW (4x:write), DVD-RAM (5x:write)

Display[6]

- 14.0" diagonal widescreen TFT High Brightness active-matrix LCD display at 1280x768 native resolution (WXGA)
- 14.0" diagonal widescreen TruBrite™ TFT active-matrix LCD display at 1280x768 native resolution (WXGA)
- Brightness Control by Fn+F6/F7 and TOSHIBA Power Saver

Graphics[7]

- Intel Graphics Media Accelerator 900; up to 128MB of graphics memory is taken from the main memory via UMA (Unified Memory Architecture)

Sound

- Realtek® ALC250 integrated software sound, AC97 compatible
- 16-bit stereo; with built-in stereo speakers
- Optional: harman kardon® stereo speakers
- Full Duplex Support, MIDI (playback) Support , 3D Sound Support, DirectSound , Direct 3D Sound; Direct Music,
- 3D Sound Support, Direct 3D Sound; DirectSound, Direct Music, MIDI (playback) Support
- Sound Ports:
  - External Microphone (monaural), Headphone (stereo),

Input Devices

- Keyboard
  - 85 key US keyboard
  - Toshiba FN Shortcut Keys; please see electronic User's Guide for more information
  - Windows Key Function
  - Application Key Function
- Pointing Device
  - TouchPad™ pointing device

Expandability

- 2 main memory slots (Both Slots may be occupied.)
  - One slot under keyboard, service removable
  - One slot available, end user accessible
- 1 PC Card slot support 1 Type II, PCMCIA R2.01, PC Card16, CardBus
- Bridge Media Adapter (Secure Digital®, Memory Stick™, Memory Stick PRO™, Multi Media Card, xD Picture Card [shared slots])

Communications

- Integrated V.92 modem[8]
- Marvell® 10/100 Base-TX Ethernet
- Choice of Wireless-LAN:[9]
  - Atheros® 802.11b/g wireless-LAN
  - Atheros® 802.11a/b/g wireless-LAN with Atheros SuperG™ technology

Ports

- RGB (monitor) port
- TV-out (S-Video)
- 4 Universal Serial Bus (USB) ports (v2.0)
- RJ-45 LAN port
- RJ-11 modem port
- i.LINK™ IEEE-1394

Physical Description

- Dimensions (WxDxH Front/H Rear): 13.50" (343mm) x 9.53" (242mm) x 1.17" (29.8mm)[F]/1.50" (38.0mm)[R] without feet
- Weight[10]: Starting 2.26kg (4.98 lbs) to 2.47kg (5.30 lbs) depending upon configuration
- LED Indicators: Power, DC-IN, Primary HDD access, CD/DVD-ROM Access, Arrow Mode, Numeric Mode, Scroll Lock, Main Battery Charging Status, System Sleep/Suspend Status, Wireless Communication
- Choice of 3 System Colors:
  - Peacock Blue
  - Sunlight Copper
  - Mist Gray

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved.
TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.

TOSHIBA

Power Supply

- 75W (15V x 5A) Auto sensing external AC Adapter, 100-240V / 50-60Hz frequency (Universal) input.
- Weight: starting at 0.88 lbs (400g)
- Dimensions (WxDxH): 5.35" (136mm) x 2.09" (53mm) x 1.18" (30mm)

Battery[11]

- 6-cell (10.8V x 4300 mAh) rechargeable, removable Lithium Ion (Li-Ion) battery pack
  - Weight: starting at 0.75 lbs (340g)
  - Dimensions (WxDxH): 8.15" (207mm) x 0.91" (23mm) x 2.13" (54mm)
  - Battery Life: Up to 3.52hours (measured by MobileMark™) (6-cell battery) [12]
  - Recharge Time
    - Main Battery Off/On [(up to 4hrs (system off) / up to 12hrs (system on))
- 12-cell (10.8V x 8600 mAh) rechargeable, removable Lithium Ion (Li-Ion) battery pack
  - Weight: starting at 1.37 lbs (620g)
  - Dimensions (WxDxH): 8.15" (207mm) x 1.06" (27mm) x 3.31" (84mm)

Security

- Physical Security
  - Kensington® Cable Lock
  - Items secured by a screw(s): Memory, HDD
- Software Security
  - Passwords: User Power-on password, Supervisor Password, Setup security, HDD password
  - Hotkey locks: Screen Blank (Fn+F1)
  - Software: Screen Saver (by software).

BIOS

- ACPI (V1.0b), PNP (V1.0a), VESA (V3.0), DPMS (V2.0), DDC (V2.0), SM BIOS (V2.34), PCI BIOS (V2.2) support

Software[13]

Toshiba Software and Utilities

- Toshiba ConfigFree™
- Toshiba Custom Utilities
- Electronic User's Guide

Third-party Software

- Microsoft® Works
- Microsoft® Office OneNote™
- Software Decoder: Intervideo® (WinDVD™ 5)
- Sonic® Solutions Drive Letter Access (DLA)
- Sonic® Solutions RecordNow! Basic
- McAfee VirusScan (30 Day Trial)
- AOL® Internet Service[14] (3-month trial)
- AT&T® Worldnet® Service[15] (1-month trial)

Environmental Specifications

	Operating	Non-Operating
Temperature[16]	5° to 35° C (41° to 95°F)	-20° to 65°C (-4° to 149°F)
Thermal Gradient	15°C per hour maximum	20°C per hour maximum
Relative Humidity	20% to 80%	10% to 95%
Altitude (relative to sea level)	-60 to 3000 meters	-60 to 10,000 meters
Shock	10G	60G
Vibration	0.5G	1.0G

Limited Warranty[17]

- 1-year standard, limited warranty

Standard Limited Warranty Upgrades and Extensions

Toshiba offers many different standard limited warranty extensions and enhanced service plans such as SystemGuard®, At-Home Repair, and Service Express to provide additional support to your notebook PC. For a full description and complete list of programs and program extensions, please visit www.pcsupport.toshiba.com

Recommended Services

Limited Warranty Extensions

Extends the standard limited warranty for up to 3 years from the original notebook purchase date. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

Part Number	Description
SWC-PEQQ2V	2nd Year Limited Warranty Extension
SWP-PEQQ3V	2nd/3rd Year Limited Warranty Extension

SystemGuard[18] Advanced Protection Coverage w/ ServiceExpress

Provides advanced protection from damage caused by accidental drops, spills and even screen breakage. Select your express repair service with either Depot Express or Carry-In Express and go to the front of the line. Limited Warranty Extension included except with 1 Year plan.

Part Number	Description
SWC-PSGQ1V	1st Year
SWC-PEGQ2V	1st/2nd Year + Limited Warranty Extension
SWP-PEGQ3V	1st/2nd/3rd Year + Limited Warranty Extension

SystemGuard Advanced Protection Coverage + At-Home Repair

Combines SystemGuard and At-Home Repair coverage. Limited Warranty Extension included except with 1 Year plan. [1]SystemGuard coverage must be purchased within the first 30 days of purchase. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

Part Number	Description
SWC-PSGH1V	1st Year
SWC-PEGH2V	1st/2nd Year + Limited Warranty Extension
SWP-PEGH3V	1st/2nd/3rd Year + Limited Warranty Extension

ServiceExpress

Select your express repair service with either Depot Express or Carry-In Express. Depot Express: Toshiba will make reasonable efforts to complete repair of your notebook and return the notebook to you by the next business day via overnight shipment (excluding weekends and holidays). Instructions and box will be provided to you for packing and shipping the notebook to Toshiba. Carry-In Express: A Premier ASP will make reasonable efforts to complete repair of your notebook by the next business day (excluding weekends and holidays). Limited Warranty Extension included except with 1 Year plan. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

Part Number	Description
SWC-PSQP1V	1st Year
SWC-PEQP2V	1st/2nd Year + Limited Warranty Extension
SWP-PEQP3V	1st/2nd/3rd Year + Limited Warranty Extension

At-Home Repair

Toshiba will make reasonable efforts to provide on-site service at customer's home location by the second business day (excluding weekends and holidays) to perform the necessary hardware repairs. Limited Warranty Extension included except with 1 Year plan. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

Part Number	Description
SWC-PSQH1V	1st Year
SWC-PEQH2V	1st/2nd Year + Limited Warranty Extension
SWP-PEQH3V	1st/2nd/3rd Year + Limited Warranty Extension

Accessories

For additional and most updated accessories, please visit: http://www.accessories.toshiba.com

Memory

Part Number	Description
KTT3311A/256	Kingston DDR 333, 256MB
KTT3311A/512	Kingston DDR 333, 512MB
KTT3311A/1G	Kingston DDR 333, 1GB

Power

Part Number	Description
PA3283U-2ACA	Toshiba 75W Global AC Adapter
PA3399U-1BRS	Toshiba Primary Li Ion Battery Pack (6 Cell)
PA3400U-1BRS	Toshiba Primary High Capacity Li Ion Battery Pack (12 Cell)

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved.
TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.

TOSHIBA

Cases-Security

Part Number	Description
PA1370U-1ETC	Toshiba Keyboard Protector (Tecra/Satellite/Qosmio)
NWDEFCL	Targus-Noteworthy DEFCON CL Cable Lock

Wireless / Bluetooth

Part Number	Description
PA3455U-1BTM	Toshiba USB Bluetooth 2.0 + EDR Capable Adapter

Storage

Part Number	Description
PA3109U-1FDD	Toshiba USB Floppy Disk Drive Kit

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.pcsupport.toshiba.com.

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS")
9740 Irvine Boulevard
Irvine CA 92618
ToshibaDirect website: http://www.toshibadirect.com
TAIS website for resellers: http://sell.toshiba.com
TAIS PC Support website: http://pcsupport.toshiba.com

Portégé, Satellite, Tecra, Slim SelectBay and SystemGuard are registered trademarks and ConfigFree is a trademark of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. Intel, Celeron, Centrino, Intel Inside, Pentium, the Intel Centrino logo, and the Intel Inside logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Microsoft and Windows are registered trademarks and OneNote is a trademark of Microsoft Corporation in the United States and/or other countries. Winstone® is a registered trademark and BatteryMark™ is a trademark of Ziff Davis Publishing Holdings Inc. in the U.S. and other countries. MobileMark™ is a trademark of the Business Applications Performance Corporation. Wi-Fi is a registered certification mark of the Wi-Fi Alliance. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Toshiba is under license. NVIDIA and GeForce are registered trademarks or trademarks of NVIDIA Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

---

[1] ***Product Series Legal Footnote.*** The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice.

[2] ***Build-to-Order/Configure-to-Order***. Certain notebook chassis are designed to accommodate all possible configurations for an entire product series. Your select model may not have all the features and specifications corresponding to all of the icons or switches shown on the notebook chassis, unless you have selected all those features. Configuring (customization) of your notebook takes an additional 12 to 15 working days.

[3] ***Operating System.*** Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).
Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

[4] ***Memory (Main System)***. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors.

[5] ***Hard Disk Drive (HDD) Capacity***. 1 Gigabyte (GB) means 1000 x 1000 x 1000 = 1,000,000,000 bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = 1024 x 1024 x 1024 = 1,073,741,824 bytes, and therefore may show less storage capacity. Available storage capacity will also be less if the product includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

[6] ***Display***. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology.
When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

[7] ***Graphics (Graphics Processing Unit).*** GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

[8] ***Modem Speed***. Due to FCC limitations, speeds of 53 kbps are the maximum permissible transmission rates during download. Actual data transmission speeds will vary depending on line conditions.

[9] ***Wireless.*** Wireless connectivity and some features may require you to purchase additional software, external hardware or services. Availability of public wireless LAN access points may be limited. The transmission speed over the wireless LAN and the distance over which wireless LAN can reach may vary

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved.
TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.

depending on surrounding electromagnetic environment, obstacles, access point design and configuration, and client design and software/hardware configurations. The actual transmission speed will be lower than the theoretical maximum speed. To use the Atheros SuperAG™ or SuperG™ wireless function, if available, your client and access point must support the corresponding feature. Performance of these functions may vary depending on the format of data transmitted.

[10] ***Weight***. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

[11] ***Battery Life***. Battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. Published battery life numbers are achieved on select models and configurations tested by Toshiba at the time of publication. See "Detailed Specs" for specific battery measurement test. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see the accessories information that shipped with your computer or visit the Toshiba web site at www.accessories.toshiba.com.

[12] ***Battery Life - MobileMark™.*** Measured by MobileMark. MobileMark is a trademark of the Business Applications Performance Corporation.

[13] ***Software***. Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

[14] ***AOL® Internet Service***. Availability may be limited, especially during peak times. TO AVOID BEING CHARGED A MONTHLY MEMBERSHIP FEE, SIMPLY CANCEL BEFORE THE THREE-MONTH PROMOTIONAL PERIOD ENDS. Premium services carry surcharges and communication surcharges may apply, including AK, even during promotional period. Members may incur telephone charges on their phone bill, depending on their location and calling plan, even during promotional period. Available to new AOL members in the United States, age 18 or older; a major credit card or checking account is required.

[15] ***AT&T® Worldnet® Service.*** Telephone access and other charges and other terms and conditions may apply. Offer available to new customers only.

[16] ***Temperature (Environmental) Conditions***. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

[17] ***Warranty.*** Toshiba's standard limited warranty, extended warranty and service upgrade terms and conditions are available at http://www.warranty.toshiba.com.

[18] ***SystemGuard.*** SystemGuard coverage must be purchased within the first 30 days of purchase. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved.
TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.

Front with display open



Front with display closed



Left side



*Available on certain models.

Right side



Underside


Battery module
Battery release lock
Battery release
Memory cover

Back